


TRANSMITTAL FORM <i>(to be used for all correspondence after initial filing)</i>		Application Number	09/967,221
		Filing Date	September 28, 2001
		First Named Inventor	James Morrow
		Art Unit	3714
		Examiner Name	THOMAS, Eric M.
Total Number of Pages in This Submission	16	Attorney Docket Number	83336.0519

ENCLOSURES (check all that apply)		
<input type="checkbox"/> Fee Transmittal Form <input type="checkbox"/> Fee Attached <input type="checkbox"/> Amendment / Reply <input type="checkbox"/> After Final <input type="checkbox"/> Affidavits/declaration(s) <input type="checkbox"/> Extension of Time Request <input type="checkbox"/> Express Abandonment Request <input type="checkbox"/> Information Disclosure Statement <input type="checkbox"/> Certified Copy of Priority Document(s) <input type="checkbox"/> Reply to Missing Parts/ Incomplete Application <input type="checkbox"/> Reply to Missing Parts under 37 CFR1.52 or 1.53	<input type="checkbox"/> Drawing(s) <input type="checkbox"/> Licensing-related Papers <input type="checkbox"/> Petition <input type="checkbox"/> Petition to Convert to a Provisional Application <input type="checkbox"/> Power of Attorney, Revocation Change of Correspondence Address <input type="checkbox"/> Terminal Disclaimer <input type="checkbox"/> Request for Refund <input type="checkbox"/> CD, Number of CD(s) _____ <input type="checkbox"/> Landscape Table on CD	<input type="checkbox"/> After Allowance Communication to TC <input type="checkbox"/> Appeal Communication to Board of Appeals and Interferences <input checked="" type="checkbox"/> Appeal Communication to TC (Appeal Notice, Brief, Reply Brief) <input type="checkbox"/> Proprietary Information <input type="checkbox"/> Status Letter <input type="checkbox"/> Other Enclosure(s) (please identify below):
Remarks		

SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT			
Firm	Step toe & Johnson LLP		
Signature			
Printed Name	Brooke W. Quist		
Date	05/17/2010	Reg. No.	45,030

CERTIFICATE OF TRANSMISSION/MAILING			
I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date shown below.			
Signature			
Typed or printed name		Date	

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:	James Morrow, et al.	Examiner:	Thomas, Eric M.
Application No.:	09/967,221	Group Art Unit:	3714
Filing Date:	September 28, 2001	Confirmation No.	7155
Appeal Brief Date:	May 12, 2010	Docket No.	83336.0519
Title:	INTEGRATED DISPLAY AND INPUT SYSTEM	Customer No.	66880

Commissioner for Patents
P. O. Box 1450
Alexandria, VA 22313-1450

RESPONSE TO NOTICE OF NON-COMPLIANT APPEAL BRIEF

Applicants received a Notice of Non-Compliant Appeal Brief which was mailed on May 12, 2010. The Notice explained that the Summary of Claimed Subject Matter section did not include and map independent claim 16 to the specification by page and line number. The Notice further stated that the entire corrected brief should not be resubmitted, but only the corrected Summary of Claimed Subject Matter section. Applicants confirmed with the Appeals division by telephone that only the corrected Summary of Claimed Subject Matter section should be submitted, along with a cover letter.

Applicants hereby submit the corrected Summary of Claimed Subject Matter section, which now includes and maps independent claim 16 to the specification by page and line number.

(v) SUMMARY OF CLAIMED SUBJECT MATTER

Independent Claim 1:

A display and input system for integrating service and system functions with gaming functions via a display screen of a gaming device (p. 8, ll. 4 -19, FIG. 1: 10, 40 and 50) the gaming device utilizing a multiple processor gaming platform, wherein at least one processor is capable of hard real time processing, and an additional processor is capable of supporting a graphic user interface (p. 9, ll. 3-25, FIG. 1, 80 and 90); the display and input system comprising:

a gaming interface incorporated within the display screen of the gaming platform, wherein the gaming interface enables a player to view a wagering game through the display screen and participate in the wagering game through the display screen (p. 8, ll. 20-23, FIG. 1: 30 and 70);

a systems interface incorporated into the gaming interface display screen of the gaming platform, wherein the systems interface displays non-gaming system information from a system network through the gaming platform to a casino player or employee via the gaming interface display screen of the gaming platform, and wherein the systems interface allows requests to be input into the system network from the systems interface through the gaming platform by a casino player or employee (p. 8, l. 26 – p. 9, l. 2, FIG. 1: 20); and

wherein the systems interface utilizes the gaming platform to produce enhanced system request capabilities with enhanced graphics and animation for enabling interactions with the system network (p. 17, l. 30 1– p. 18, l. 23).

Independent Claim 16:

A display and input system for integrating service and system functions with gaming functions via a display screen of a gaming device within a gaming system (p. 8, ll. 4 -19, FIG. 1: 10, 40 and 50), the gaming system including a system network containing system information (p. 3, l. 20; p. 8, ll. 6-10; FIG. 1: 18); a gaming device utilizing a multiple processor gaming platform, wherein at least one processor is capable of hard real time processing, and an additional processor is capable of supporting a graphic user interface (p. 9, ll. 3-25, FIG. 1, 80 and 90); and a network interface for connecting the gaming device to the system network (p. 9, l. 27 – p. 10, l. 6; FIG. 1: 16); the display and input system comprising:

a gaming interface incorporated within the display screen of the gaming platform, wherein the gaming interface enables a player to view a wagering game through the display screen and participate in the wagering game through the display screen (p. 8, ll. 20-23, FIG. 1: 30 and 70);

a systems interface incorporated into the gaming interface display screen of the gaming platform, wherein the systems interface displays non-gaming system information from the system network through the gaming platform to a casino player or employee via the gaming interface display screen of the gaming platform, and wherein the systems interface allows requests to be input into the system network from the systems interface through the gaming platform by a casino player or employee (p. 8, l. 26 – p. 9, l. 2, FIG. 1: 20); and

wherein the systems interface utilizes the gaming platform to produce enhanced system request capabilities with enhanced graphics and animation for enabling interactions with the system network (p. 17, l. 30 1– p. 18, l. 23).

Independent Claim 41:

A display and input system for integrating service and system functions with gaming functions via a display screen of a gaming device (p. 8, ll.4 -19, FIG. 1: 10, 40 and 50), the gaming device utilizing a multiple processor gaming platform, wherein at least one processor is capable of hard real time processing, and an additional processor is capable of supporting a graphic user interface (p. 9, ll. 3-25, FIG. 1, 80 and 90); wherein either the at least one processor or the additional processor runs a game logic process that includes the game rules necessary to generate a wagering game (p. 9, ll. 5-8; p. 10, ll. 15-17); and wherein the additional processor runs a game display process that includes an audiovisual functionality necessary to generate a wagering game (p. 9, ll. 15-18) the display and input system comprising:

a gaming interface incorporated within the display screen of the gaming platform, wherein the gaming interface enables a player to view a wagering game through the display screen and participate in the wagering game through the display screen (p. 8, ll. 20-23, FIG. 1: 30 and 70);

a systems interface produced by a systems logic process and that is viewable on the gaming interface display screen of the gaming platform, wherein the systems interface provides access to non-gaming system information on the system network through the gaming platform via the gaming interface display screen of the gaming platform, and wherein the systems interface allows requests

to be input into the system network from the systems interface through the gaming platform by a casino player or employee (p. 8, l. 26 – p. 9, l. 2, FIG. 1: 20);

wherein the additional processor of the gaming platform runs the systems logic process that provides access to non-gaming system information on the system network through the gaming platform via the gaming interface display screen of the gaming platform (p. 10, ll. 9-14); and

wherein the systems logic process is maintained as a separate process from the game display process (p. 10, ll. 12-13);

wherein the systems interface utilizes the gaming platform to produce enhanced system request capabilities with enhanced graphics and animation for enabling interactions with the system network (p. 17, l. 30 1– p. 18, l. 23);

a converter card enabling the additional processor to communicate with the systems interface and a system network (p. 5, ll. 13-19, FIG. 1: 100);

a Y adapter that enables communication between the display screen and both the at least one processor and the additional processor (p. 13, ll. 5-9, FIG. 1: 110); and

calibration software that enables the additional processor to calibrate the display of system information on the display screen (p. 3, ll. 22-24).

Independent Claim 42:

A display and input system for integrating service and system functions with gaming functions via a display screen of a gaming device within a gaming system, the gaming system including a system network containing system information (p. 8, ll.4 -19; FIG. 1: 10, 40 and 50); a gaming device utilizing a multiple processor gaming platform, wherein at least one processor is capable of hard real time processing, and an additional processor is capable of supporting a graphic user interface (p. 9, ll. 3-25, FIG. 1: 80 and 90); wherein either the at least one processor or the additional processor runs a game logic process that includes the game rules necessary to generate a wagering game (p. 9, ll. 5-8; p. 10, ll. 15-17); and wherein the additional processor runs a game display process that includes audiovisual functionality necessary to generate a wagering game (p. 9, ll. 15-18); and a network interface for connecting the gaming device to the system network (p. 9, l. 27 – p. 10, l. 6; FIG. 1: 16); the display and input system comprising:

a gaming interface incorporated within the display screen of the gaming platform, wherein the gaming interface enables a player to view a wagering game through the display

screen and participate in the wagering game through the display screen (p. 8, ll. 20-23, FIG. 1: 30 and 70);

a systems interface produced by a systems logic process and that is viewable on the gaming interface display screen of the gaming platform, wherein the systems interface provides access to the non-gaming system information on the system network through the gaming platform via the gaming interface display screen of the gaming platform; and wherein the systems interface allows requests to be input into the system network from the systems interface through the gaming platform by a casino player or employee (p. 8, l. 26 – p. 9, l. 2; FIG. 1: 20);

wherein the additional processor of the gaming platform runs the systems logic process that provides access to non-gaming system information on the system network through the gaming platform via the gaming interface display screen of the gaming platform (p. 10, ll. 9-14); and

wherein the systems logic process is maintained as a separate process from the game display process (p. 10, ll. 12-13);

wherein the systems interface utilizes the gaming platform to produce enhanced system request capabilities with enhanced graphics and animation for enabling interactions with the system network (p. 17, l. 30 – p. 18, l. 23);

a converter card that enables the additional processor to communicate with the systems interface and the system network (p. 5, ll. 13-19; FIG. 1: 100);

a Y adapter that enables communication between the display screen and both the at least one processor and the additional processor (p. 13, ll. 5-9; FIG. 1: 110); and

calibration software that enables the additional processor to calibrate the display of system information on the display screen (p. 3, ll. 22-24).

Independent Claim 43:

A gaming system for integrating gaming functions and system functions via a display screen of a gaming platform in a gaming device (p. 8, ll. 4-19, FIG. 1: 10, 40, 50 and 70), the gaming system comprising:

a system network containing system information (p. 3, l. 20; p. 8, ll. 6-10; FIG. 1: 18);

a network interface for connecting a gaming device to the system network (p. 9, l. 27 – p. 10, l. 6, FIG. 1: 16);

a gaming interface incorporated into the gaming interface display screen of the gaming platform, wherein the gaming interface enables a player to view a wagering game through the

display screen and wherein the gaming interface enables a player to participate in a wagering game (p. 8, ll. 20-23, FIG. 1: 30);

a systems interface incorporated into the gaming interface display screen of the gaming platform, wherein the systems interface displays non-gaming system information from the system network through the gaming platform to a casino player or employee via the gaming interface display screen of the gaming platform; wherein the systems interface allows requests to be input into the system network from the systems interface through the gaming platform by a casino player or employee (p. 8, l. 26 – p. 9, l. 2; FIG. 1: 20); and

wherein the systems interface utilizes the gaming platform to produce enhanced system request capabilities with enhanced graphics and animation for enabling interactions with the system network (p. 17, l. 30 – p. 18, l. 23).

Independent Claim 68:

A gaming device having a display screen and a card reader (p.8, l. 7; p. 11, l. 30 – p. 12, l. 2; FIG. 1: 40, 50 and 60), the gaming device comprising:

a gaming device utilizing a multiple processor gaming platform, wherein a plurality of processors support hard real time processing tasks, and an additional processor supports a graphic user interface (p. 9, ll. 3-25, FIG. 1: 50, 80 and 90);

wherein the plurality of processors run hard real time tasks related to controlling game peripherals (p. 9, ll. 3-14);

wherein the additional processor runs a systems logic process that provides access to non-gaming system information on a system network through the gaming platform via the gaming interface display screen of the gaming platform (p. 10, ll. 9-12); and

wherein the additional processor also runs a game display process and a game logic process that together manage all game control necessary to generate a wagering game, wherein the systems logic process is maintained as a separate process from the game display process (p. 10, ll. 12-14); and

a gaming interface produced by the game logic process and the game display process, that is viewable on the gaming interface display screen of the gaming platform, wherein the gaming interface enables a player to participate in the wagering game (p. 8, ll. 20-23, FIG. 1: 30); and

a systems interface produced by the systems logic process that is viewable on the gaming interface display screen of the gaming platform, wherein the systems interface provides access to

non-gaming system information on the system network through the gaming platform via the gaming interface display screen of the gaming platform (p. 8, l. 26 – p. 9, l. 2; FIG. 1: 20), and

wherein the systems interface utilizes the gaming platform to produce enhanced system request capabilities with enhanced graphics and animation for enabling interactions with the system network (p. 17, l. 30 1– p. 18, l. 23).

Independent Claim 69:

A gaming device having a display screen and a card reader (p.8, l. 7; p. 11, l. 30 – p. 12, l. 2; FIG. 1: 40, 50 and 60), the gaming device comprising:

a gaming device utilizing a multiple processor gaming platform, wherein at least one processor is capable of hard real time processing, and an additional processor is capable of supporting a graphic user interface (p. 9, ll. 3-25, FIG. 1: 80 and 90);

wherein the at least one processor runs a game logic process that includes the game rules necessary to generate a wagering game (p. 10, ll. 17-20);

wherein the additional processor runs a systems logic process that provides access to non-gaming system information on a system network through the gaming platform via the gaming interface display screen of the gaming platform (p. 10, ll. 9-12); and

wherein the additional processor also runs a game display process that includes audiovisual functionality necessary to generate the wagering game, wherein the systems logic process is maintained as a separate process from the game display process (p. 10, ll. 12-14); and

a gaming interface produced by the game logic process and the game display process, that is viewable on the gaming interface display screen of the gaming platform, wherein the gaming interface enables a player to participate in the wagering game (p. 8, ll. 20-23, FIG. 1: 30); and

a systems interface produced by the systems logic process that is viewable on the gaming interface display screen of the gaming platform, wherein the systems interface provides access to non-gaming system information on the system network through the gaming platform via the gaming interface display screen of the gaming platform (p. 8, l. 26 – p. 9, l. 2; FIG. 1: 20); and

wherein the systems interface utilizes the gaming platform to produce enhanced system request capabilities with enhanced graphics and animation for enabling interactions with the system network (p. 17, l. 30 1– p. 18, l. 23).

Independent Claim 83:

A gaming system for integrating gaming functions and system functions into a display screen in a gaming device (p. 8, ll. 4 -19, FIG. 1: 10, 40 and 50), the gaming system comprising:

a system network containing system information (p. 3, l. 20; p. 8, ll. 6-10; FIG. 1: 18);

a gaming device utilizing a multiple processor gaming platform, wherein a plurality of processors support hard real time processing tasks, and an additional processor supports a graphic user interface (p. 9, ll. 3-25, FIG. 1: 80 and 90); and

wherein the plurality of processors run hard real time tasks related to controlling game peripherals (p. 9, ll. 3-14);

wherein the additional processor runs a systems logic process that provides access to non-gaming system information on a system network through the gaming platform via the gaming interface display screen of the gaming platform (p. 10, ll. 9-12); and

wherein the additional processor also runs a game display process and a game logic process that together manage all game control necessary to generate a wagering game, wherein the systems logic process is maintained as a separate process from the game display process (p. 10, ll. 12-14);

a network interface for connecting the gaming device to the system network (p. 9, l. 27 – p. 10, l. 6; FIG. 1: 16);

a gaming interface produced by the game logic process and the game display process, viewable on the gaming interface display screen of the gaming platform, wherein the gaming interface enables a player to participate in the wagering game (p. 8, ll. 20-23, FIG. 1: 30); and

a systems interface produced by the systems logic process that is viewable on the gaming interface display screen of the gaming platform, wherein the systems interface provides access to non-gaming system information on the system network through the gaming platform via the gaming interface display screen of the gaming platform; and wherein the systems interface allows requests to be input into the system network from the systems interface through the gaming platform by a casino player or employee (p. 8, l. 26 – p. 9, l. 2; p. 16, ll. 8-12; FIG. 1: 20); and

wherein the systems interface utilizes the gaming platform to produce enhanced system request capabilities with enhanced graphics and animation for enabling interactions with the system network (p. 17, l. 30 1– p. 18, l. 23).

Independent Claim 84:

A gaming system for integrating gaming functions and system functions into a display

screen in a gaming device (p. 8, ll.4 -19, FIG. 1: 10, 40 and 50), the gaming system comprising:

a system network containing system information (p. 3, l. 20; p. 8, ll. 6-10; FIG. 1: 18);

a gaming device utilizing a multiple processor gaming platform, wherein at least one processor is capable of hard real time processing, and an additional processor is capable of supporting a graphic user interface (p. 9, ll. 3-25, FIG. 1: 80 and 90);

wherein the at least one processor runs a game logic process that includes the game rules necessary to generate a wagering game (p. 10, ll. 17-20);

wherein the additional processor runs a systems logic process that provides access to non-gaming system information on a system network through the gaming platform via the gaming interface display screen of the gaming platform (p. 10, ll. 9-12); and

wherein the additional processor also runs game display process that includes audiovisual functionality necessary to generate the wagering game, wherein the systems logic process is maintained as a separate process from the game display process (p. 10, ll. 12-14);

a network interface for connecting the gaming device to the system network (p. 9, l. 27 – p. 10, l. 6; FIG. 1: 16);

a gaming interface produced by the game logic process and the game display process, viewable on the gaming interface display screen of the gaming platform, wherein the gaming interface enables a player to participate in the wagering game (p. 8, ll. 20-23, FIG. 1: 30); and

a systems interface produced by the systems logic process that is viewable on the gaming interface display screen of the gaming platform, wherein the systems interface provides access to non-gaming system information on the system network through the gaming platform via the gaming interface display screen of the gaming platform; and wherein the systems interface allows requests to be input into the system network from the systems interface through the gaming platform by a casino player or employee (p. 8, l. 26 – p. 9, l. 2; p. 16, ll. 8-12; FIG. 1: 20); and

wherein the systems interface utilizes the gaming platform to produce enhanced system request capabilities with enhanced graphics and animation for enabling interactions with the system network (p. 17, l. 30 1– p. 18, l. 23).

Independent Claim 100:

A gaming device having a display screen and a card reader (p.8, l. 7; p. 11, l. 30 – p. 12, l. 2; FIG. 1: 40, 50 and 60), the gaming device comprising:

a gaming device utilizing a multiple processor gaming platform, wherein at least one

processor is capable of hard real time processing, and an additional processor is capable of supporting a graphic user interface (p. 9, ll. 3-25, FIG. 1: 80 and 90); and

a gaming interface incorporated into the gaming interface display screen of the gaming platform, wherein the gaming interface enables a player to view a wagering game through the display screen and wherein the gaming interface enables a player to participate in a wagering game (p. 8, ll. 20-23, FIG. 1: 30);

a systems interface incorporated into the gaming interface display screen of the gaming platform, wherein the systems interface displays non-gaming system information from the system network through the gaming platform to a casino player or employee via the gaming interface display screen of the gaming platform; and wherein the systems interface allows requests to be input into the system network from the systems interface through the gaming platform by a casino player or employee (p. 8, l. 26 – p. 9, l. 2; p. 16, ll. 8-12; FIG. 1: 20); and

wherein the systems interface utilizes the gaming platform to produce enhanced system request capabilities with enhanced graphics and animation for enabling interactions with the system network (p. 17, l. 30 1– p. 18, l. 23).

Independent Claim 101:

A gaming system for integrating gaming functions and system functions into a display screen in a gaming device (p. 8, ll.4 -19, FIG. 1: 10, 40 and 50), the gaming system comprising:

a system network containing system information (p. 3, l. 20; p. 8, ll. 6-10; FIG. 1: 18);

a gaming device utilizing a multiple processor gaming platform, wherein at least one processor is capable of hard real time processing, and an additional processor is capable of supporting a graphic user interface (p. 9, ll. 3-25, FIG. 1: 80 and 90);

a network interface for connecting the gaming device to the system network (p. 9, l. 27 – p. 10, l. 6; FIG. 1: 16);

a gaming interface incorporated into the gaming interface display screen of the gaming platform, wherein the gaming interface enables a player to view a wagering game through the display screen and wherein the gaming interface enables a player to participate in a wagering game (p. 8, ll. 20-23, FIG. 1: 30);

a systems interface incorporated into the gaming interface display screen of the gaming platform, wherein the systems interface displays non-gaming system information from the system network through the gaming platform to a casino player or employee via the gaming interface

display screen of the gaming platform; and wherein the systems interface allows requests to be input into the system network from the systems interface through the gaming platform by a casino player or employee (p. 8, l. 26 – p. 9, l. 2; p. 16, ll. 8-12; FIG. 1: 20); and

wherein the systems interface utilizes the gaming platform to produce enhanced system request capabilities with enhanced graphics and animation for enabling interactions with the system network (p. 17, l. 30 1– p. 18, l. 23).

Independent Claim 102:

A gaming device having a display screen and a card reader (p.8, l. 7; p. 11, l. 30 – p. 12, l. 2; FIG. 1: 40, 50 and 60), the gaming device comprising:

a gaming device utilizing a multiple processor gaming platform, wherein at least one processor is capable of hard real time processing, and an additional processor is capable of supporting a graphic user interface (p. 9, ll. 3-25, FIG. 1: 80 and 90);

a gaming interface incorporated into the gaming interface display screen of the gaming platform, wherein the gaming interface enables a player to view a wagering game through the display screen and wherein the gaming interface enables a player to participate in a wagering game (p. 8, ll. 20-23, FIG. 1: 30);

a systems interface incorporated into the gaming interface display screen of the gaming platform, wherein the systems interface displays non-gaming system information from the system network through the gaming platform to a casino player or employee via the gaming interface display screen of the gaming platform; and wherein the systems interface allows requests to be input into the system network from the systems interface through the gaming platform by a casino player or employee (p. 8, l. 26 – p. 9, l. 2; p. 16, ll. 8-12; FIG. 1: 20);

wherein the systems interface utilizes the gaming platform to produce enhanced system request capabilities with enhanced graphics and animation for enabling interactions with the system network (p. 17, l. 30 1– p. 18, l. 23);

a game monitoring unit having a converter card that utilizes I2C hardware and signaling, wherein the converter card enables the additional processor to communicate with the systems interface and the system network (p. 11, l. 19 – p. 12, l. 8);

a Y adapter that enables communication between the display screen and both the at least one processor and the additional processor (p. 13, ll. 5-9, FIG. 1: 110); and

calibration software that enables the additional processor to calibrate the display of system information on the display screen (p. 3, ll. 22-24).

Independent Claim 114:

A gaming system for integrating gaming functions and system functions into a display screen in a gaming device (p. 8, ll. 4 -19, FIG. 1, 10, 40 and 50), the gaming system comprising:

a system network containing system information (p. 3, l. 20; p. 8, ll. 6-10; FIG. 1: 18);

a gaming device utilizing a multiple processor gaming platform, wherein at least one processor is capable of hard real time processing, and an additional processor is capable of supporting a graphic user interface (p. 9, ll. 3-25, FIG. 1: 80 and 90);

a network interface for connecting the gaming device to the system network (p. 9, l. 27 – p. 10, l. 6; FIG. 1: 16);

a gaming interface incorporated into the gaming interface display screen of the gaming platform, wherein the gaming interface enables a player to view a wagering game through the display screen, and wherein the gaming interface enables a player to participate in a wagering game (p. 8, ll. 20-23, FIG. 1: 30);

a systems interface incorporated into the gaming interface display screen of the gaming platform, wherein the systems interface displays non-gaming system information from the system network through the gaming platform to a casino player or employee via the gaming interface display screen of the gaming platform; and wherein the systems interface allows requests to be input into the system network from the systems interface through the gaming platform by a casino player or employee (p. 8, l. 26 – p. 9, l. 2; p. 16, ll. 8-12; FIG. 1: 20);

wherein the systems interface utilizes the gaming platform to produce enhanced system request capabilities with enhanced graphics and animation for enabling interactions with the system network (p. 17, l. 30 1– p. 18, l. 23);

a game monitoring unit having a converter card that utilizes I2C hardware and signaling, wherein the converter card enables the additional processor to communicate with the systems interface and the system network (p. 11, l. 19 – p. 12, l. 8);

a Y adapter that enables communication between the display screen and both the at least one processor and the additional processor (p. 13, ll. 5-9, FIG. 1: 110); and

calibration software that enables the additional processor to calibrate the display of system information on the display screen (p. 3, ll. 22-24).

Independent Claim 135:

A gaming system for integrating gaming functions and system functions into a display screen in a gaming device (p. 8, ll. 4 -19, FIG. 1: 10, 40 and 50), the gaming system comprising:

a system network containing system information (p. 3, l. 20; p. 8, ll. 6-10; FIG. 1: 18);

a gaming device utilizing a multiple processor gaming platform, wherein at least one processor is capable of hard real time processing, and an additional processor is capable of supporting a graphic user interface (p. 9, ll. 3-25, FIG. 1:P 80 and 90), and wherein the gaming device connects directly to the system network (p. 5, ll. 24-25);

a gaming interface incorporated into the gaming interface display screen of the gaming platform, wherein the gaming interface enables a player to view a wagering game through the display screen and wherein the gaming interface enables a player to participate in a wagering game (p. 8, ll. 20-23, FIG. 1: 30);

a systems interface incorporated into the gaming interface display screen of the gaming platform, wherein the systems interface displays non-gaming system information from the system network through the gaming platform to a casino player or employee via the gaming interface display screen of the gaming platform; and wherein the systems interface allows requests to be input into the system network from the systems interface through the gaming platform by a casino player or employee (p. 8, l. 26 – p. 9, l. 2; p. 16, ll. 8-12; FIG. 1: 20);

wherein the systems interface utilizes the gaming platform to produce enhanced system request capabilities with enhanced graphics and animation for enabling interactions with the system network (p. 17, l. 30 1– p. 18, l. 23); and

a game monitoring unit having a converter card that utilizes I2C hardware and signaling, wherein the converter card enables the additional processor to communicate with the systems interface and the system network (p. 11, l. 19 – p. 12, l. 8).

Independent Claim 136:

A gaming device having a display screen and a card reader (p.8, l. 7; p. 11, l. 30 – p. 12, l. 2; FIG. 1: 40, 50 and 60), the gaming device comprising:

a gaming device utilizing a multiple processor gaming platform, wherein at least one processor is capable of hard real time processing, and an additional processor is capable of supporting a graphic user interface (p. 9, ll. 3-25, FIG. 1: 80 and 90); and

a gaming interface that is viewable on the gaming interface display screen of the gaming platform, wherein the gaming interface enables a player to view a wagering game through the display screen and wherein the gaming interface enables a player to participate in a wagering game (p. 8, ll. 20-23, FIG. 1: 30);

a player services interface, wherein insertion of an authorized player identification card, upon which only identification data is embedded, into the card reader activates the player services interface on the gaming interface display screen of the gaming platform which provides a player access to service features (p. 5, ll. 4-12; p. 16, ll. 30-32; FIG. 6: 20); and

an employee systems interface, wherein insertion of an authorized employee identification card, on which only identification data is embedded, into the card reader activates the employee systems interface on the gaming interface display screen of the gaming platform which provides an employee access to non-gaming system information through the gaming platform via the gaming interface display screen of the gaming platform (p. 5, ll. 4-12; p. 6, ll. 8-11; FIG. 7: 20); and

wherein the systems interface utilizes the gaming platform to produce enhanced system request capabilities with enhanced graphics and animation for enabling interactions with the system network (p. 17, l. 30 1– p. 18, l. 23).

Independent Claim 137:

A method of integrating gaming functions and system functions into a display screen of a gaming platform in a gaming device (p. 6, ll. 12-26; FIG. 1: 40, 50 and 70), wherein the gaming device includes a card reader (p. 8, l. 7; p. 11, l. 30 – p. 12, l. 2; FIG. 1: 50 and 60), the method comprising:

generating a wagering game via a gaming interface by running a game logic process that includes the game rules necessary to generate the wagering game (p. 6, ll. 14-16; p. 10, ll. 15-17), and by running a game display process that includes audiovisual functionality necessary to generate a wagering game and that writes to the gaming interface display screen of the gaming platform in the gaming device (p. 6, ll. 16-18; p. 10, ll. 9-14);

displaying the wagering game on the display screen (p. 6, ll. 4-6; p. 10, ll. 5-8; FIG. 1: 40);

enabling a player to interact with the wagering game through the gaming interface that is incorporated into the gaming interface display screen of the gaming platform (p. 8, ll. 20-23, FIG. 1: 30);

generating a systems interface by running a systems logic process that provides access to non-gaming system information on a system network through the gaming platform and that writes to the gaming interface display screen of the gaming platform, wherein the systems logic process is maintained as a separate process from the game display process (p. 8, l. 26 – p. 9, l. 2; p. 16, ll. 8-12; FIG. 1: 20); and

enabling activation of the systems interface, wherein insertion of an authorized identification card, upon which only identification data is embedded, into the card reader activates the systems interface in the gaming interface display screen of the gaming platform which provides access to non-gaming system information in a system network through the gaming platform (p. 5, ll. 4-12; p. 16, ll. 8-11 and 30-32; FIG. 6, 20 and FIG. 7; 20); and

wherein the systems interface utilizes the gaming platform to produce enhanced system request capabilities with enhanced graphics and animation for enabling interactions with the system network (p. 17, l. 30 – p. 18, l. 23).

Independent Claim 138:

A method of integrating gaming functions and system functions into a display screen of a gaming platform in a gaming device (p. 6, ll. 12-26; FIG. 1: 40, 50 and 70), wherein the gaming device includes a card reader (p. 8, l. 7; p. 11, l. 30 – p. 12, l. 2; FIG. 1: 50 and 60), the method comprising:

generating a wagering game via a gaming interface by running a game logic process that includes the game rules necessary to generate a wagering game (p. 6, ll. 14-16; p. 10, ll. 15-17), and by running a game display process that includes audiovisual functionality necessary to generate the wagering game and that writes to the gaming interface display screen of the gaming platform in the gaming device (p. 6, ll. 16-18; p. 10, ll. 9-14);

displaying the wagering game on the display screen (p. 6, ll. 4-6; p. 10, ll. 5-8; FIG. 1: 40);

enabling a player to interact with the wagering game through the gaming interface that is incorporated into the gaming interface display screen of the gaming platform (p. 8, ll. 20-23, FIG. 1: 30);

generating a systems interface by running a systems logic process that provides access to non-gaming system information on a system network through the gaming platform and that writes to the gaming interface display screen of the gaming platform, wherein the systems logic process is

maintained as a separate process from the game display process (p. 8, l. 26 – p. 9, l. 2; p. 16, ll. 8-12; FIG. 1: 20);

enabling activation of a player services interface, wherein insertion of an authorized player identification card, upon which only identification data is embedded, into the card reader activates the player services interface in the gaming interface display screen which provides a player access to service features by accessing non-gaming system information in a system network through the gaming platform (p. 5, ll. 4-12; p. 16, ll. 30-32; FIG. 6: 20); and

enabling activation of an employee systems interface, wherein insertion of an authorized employee identification card, upon which only identification data is embedded, into the card reader activates the employee systems interface in the gaming interface display screen of the gaming platform which provides an employee access to non-gaming system information in a system network through the gaming platform (p. 5, ll. 4-12; p. 6, ll. 8-11; FIG. 7: 20); and

wherein the systems interface utilizes the gaming platform to produce enhanced system request capabilities with enhanced graphics and animation for enabling interactions with the system network (p. 17, l. 30 1– p. 18, l. 23).


CONCLUSION

The Commissioner is hereby authorized to charge the fees indicated in the Fee Transmittal, any additional fee(s) or underpayment of fee(s) under 37 CFR 1.16 and 1.17, or to credit any overpayments, to Deposit Account No. 194293, Deposit Account Name STEPTOE & JOHNSON LLP.

Should the Examiner have any questions concerning the foregoing, the Examiner is invited to telephone the undersigned attorney at (310) 734-3200. The undersigned attorney can normally be reached Monday through Friday from about 9:00 AM to 6:00 PM Pacific Time.

Respectfully submitted,

Date: May 17, 2010



BROOKE W. QUIST
REG. No. 45,030
STEPTOE & JOHNSON LLP
2121 Avenue of the Stars
Suite 2800
Los Angeles, CA 90067
Tel 310.734.3200
Fax 310.734.3300